


## INSTALLATION INSTRUCTION MULLER ELEVON 3000 PUSH TO OPEN




**viyar**

0 (800) 100 100 | viyar.eu

RELIABLE FITTINGS ARE DURABLE FURNITURE

KIT CONTENTS

Müller



| ID | Name                    | NO |
|----|-------------------------|----|
| A  | Body lift               | 2  |
| B  | Front mounting hardware | 2  |

C

a1 a2 a3 x1

D

x1

+

For installation, you will also need (not included in the kit):

|   |                                                    |   |
|---|----------------------------------------------------|---|
| E | Set of cover caps (229525/229524)                  | 1 |
| F | Push-to-Open Muller (e.g., Art. No. 134988/134991) | 1 |

G

x8

(190133) 4x35 mm


H

x8


(190247) 4x13 mm

MOUNTING OPTIONS


I




II



III



In this mounting option, the lift mechanism should be shifted down by 21 mm to avoid contact with the front.



INSTALLATION STEPS


**WARNING**

Don't press down on levre if the front is not be installed, to avoid injury and damage to the lift.




1

Marking the front for the fittings




2

Installing the fittings on the front




3

Install template (select the template number according to your mounting option)




4

Position the lift mechanisms using the templates




5

Lifts installation




6

Remove the template




7

Remove the safety clip




8

Pull out the arm




9

Front installation




12

Opening angle adjustment (80-100°)




13

Installing the cover caps




10

Adjusting the opening force




14

Push Open installation




15

Push to Open function test




11

3D adjustment of front




DISASSEMBLY


1




2




3



4



5



**WARNING**

Don't press down on levre if the front is not be installed, to avoid injury and damage to the lift.



[illegible][illegible]

| Eleven 3000 P20 Product Selection Chart (22 mm)                           |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |
|---------------------------------------------------------------------------|--|-----------------------|--|--|--|--|-----------------------|--|--|--|--|-----------------------|--|--|--|--|-----------------------|--|--|--|--|-----------------------|--|--|--|--|
| Model: P20 S / P20 M / P20 L / P20 LX                                     |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |
| LF = Section height Kt1 (mm) × (handle weight × 2 × front weight) FW (kg) |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |
| If 2 models are suitable, selects the larger model                        |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |
| LF<br>(power factor)                                                      |  | P20 S: 800×500        |  |  |  |  |                       |  |  |  |  | P20 M: 1330×750       |  |  |  |  |                       |  |  |  |  | P20 XL: 4000×3300     |  |  |  |  |
|                                                                           |  | KH500h, 3.5-7.5KG     |  |  |  |  | KH300h, 4.5-9.1KG     |  |  |  |  |                       |  |  |  |  | KH450h, 6.3-15.7KG    |  |  |  |  |                       |  |  |  |  |
|                                                                           |  | KH250h, 2.5-6.2KG     |  |  |  |  | KH350h, 3.5-8.9KG     |  |  |  |  |                       |  |  |  |  | KH400h, 5.3-13.7KG    |  |  |  |  |                       |  |  |  |  |
|                                                                           |  | KH300h, 3.5-8.9KG     |  |  |  |  | KH400h, 5.3-13.7KG    |  |  |  |  |                       |  |  |  |  | KH450h, 6.3-15.7KG    |  |  |  |  |                       |  |  |  |  |
|                                                                           |  | KH350h, 4.5-11.2KG    |  |  |  |  | KH450h, 6.3-15.7KG    |  |  |  |  |                       |  |  |  |  | KH500h, 7.5-19.0KG    |  |  |  |  |                       |  |  |  |  |
| P20 M: 1330×750                                                           |  | KH400h, 5.3-13.7KG    |  |  |  |  | KH500h, 7.5-19.0KG    |  |  |  |  | KH600h, 9.7-24.2KG    |  |  |  |  | KH700h, 12.9-32.2KG   |  |  |  |  | KH800h, 16.1-40.3KG   |  |  |  |  |
|                                                                           |  | KH450h, 6.3-15.7KG    |  |  |  |  | KH550h, 8.5-21.6KG    |  |  |  |  | KH650h, 11.7-29.5KG   |  |  |  |  | KH750h, 14.9-37.4KG   |  |  |  |  | KH850h, 18.1-45.3KG   |  |  |  |  |
|                                                                           |  | KH500h, 7.5-19.0KG    |  |  |  |  | KH600h, 9.7-24.2KG    |  |  |  |  | KH700h, 12.9-32.2KG   |  |  |  |  | KH800h, 16.1-40.3KG   |  |  |  |  | KH900h, 19.3-48.5KG   |  |  |  |  |
|                                                                           |  | KH550h, 8.5-21.6KG    |  |  |  |  | KH650h, 11.7-29.5KG   |  |  |  |  | KH750h, 14.9-37.4KG   |  |  |  |  | KH850h, 18.1-45.3KG   |  |  |  |  | KH950h, 21.3-53.2KG   |  |  |  |  |
| P20 LX: 4000×3300                                                         |  | KH600h, 9.7-24.2KG    |  |  |  |  | KH700h, 12.9-32.2KG   |  |  |  |  | KH800h, 16.1-40.3KG   |  |  |  |  | KH900h, 19.3-48.5KG   |  |  |  |  | KH1000h, 22.5-56.2KG  |  |  |  |  |
|                                                                           |  | KH650h, 11.7-29.5KG   |  |  |  |  | KH750h, 14.9-37.4KG   |  |  |  |  | KH850h, 18.1-45.3KG   |  |  |  |  | KH950h, 21.3-53.2KG   |  |  |  |  | KH1050h, 24.5-60.9KG  |  |  |  |  |
|                                                                           |  | KH700h, 12.9-32.2KG   |  |  |  |  | KH800h, 16.1-40.3KG   |  |  |  |  | KH900h, 19.3-48.5KG   |  |  |  |  | KH1000h, 22.5-56.2KG  |  |  |  |  | KH1100h, 25.7-64.5KG  |  |  |  |  |
| P20 XL: 4000×3300                                                         |  | KH750h, 14.9-37.4KG   |  |  |  |  | KH850h, 18.1-45.3KG   |  |  |  |  | KH950h, 21.3-53.2KG   |  |  |  |  | KH1050h, 24.5-60.9KG  |  |  |  |  | KH1150h, 27.9-69.8KG  |  |  |  |  |
|                                                                           |  | KH800h, 16.1-40.3KG   |  |  |  |  | KH900h, 19.3-48.5KG   |  |  |  |  | KH1000h, 22.5-56.2KG  |  |  |  |  | KH1100h, 25.7-64.5KG  |  |  |  |  | KH1200h, 28.9-72.8KG  |  |  |  |  |
| P20 XL: 4000×3300                                                         |  | KH850h, 18.1-45.3KG   |  |  |  |  | KH950h, 21.3-53.2KG   |  |  |  |  | KH1050h, 24.5-60.9KG  |  |  |  |  | KH1150h, 27.9-69.8KG  |  |  |  |  | KH1250h, 31.1-77.7KG  |  |  |  |  |
|                                                                           |  | KH900h, 19.3-48.5KG   |  |  |  |  | KH1000h, 22.5-56.2KG  |  |  |  |  | KH1100h, 25.7-64.5KG  |  |  |  |  | KH1200h, 28.9-72.8KG  |  |  |  |  | KH1300h, 32.1-80.6KG  |  |  |  |  |
| P20 XL: 4000×3300                                                         |  | KH950h, 21.3-53.2KG   |  |  |  |  | KH1050h, 24.5-60.9KG  |  |  |  |  | KH1150h, 27.9-69.8KG  |  |  |  |  | KH1250h, 31.1-77.7KG  |  |  |  |  | KH1350h, 34.3-85.5KG  |  |  |  |  |
|                                                                           |  | KH1000h, 22.5-56.2KG  |  |  |  |  | KH1100h, 25.7-64.5KG  |  |  |  |  | KH1200h, 28.9-72.8KG  |  |  |  |  | KH1300h, 32.1-80.6KG  |  |  |  |  | KH1400h, 35.3-88.4KG  |  |  |  |  |
| P20 XL: 4000×3300                                                         |  | KH1050h, 24.5-60.9KG  |  |  |  |  | KH1150h, 27.9-69.8KG  |  |  |  |  | KH1250h, 31.1-77.7KG  |  |  |  |  | KH1350h, 34.3-85.5KG  |  |  |  |  | KH1450h, 37.5-93.3KG  |  |  |  |  |
|                                                                           |  | KH1100h, 25.7-64.5KG  |  |  |  |  | KH1200h, 28.9-72.8KG  |  |  |  |  | KH1300h, 32.1-80.6KG  |  |  |  |  | KH1400h, 35.3-88.4KG  |  |  |  |  | KH1500h, 38.5-96.2KG  |  |  |  |  |
| P20 XL: 4000×3300                                                         |  | KH1150h, 27.9-69.8KG  |  |  |  |  | KH1250h, 31.1-77.7KG  |  |  |  |  | KH1350h, 34.3-85.5KG  |  |  |  |  | KH1450h, 37.5-93.3KG  |  |  |  |  | KH1550h, 40.7-101.0KG |  |  |  |  |
|                                                                           |  | KH1200h, 28.9-72.8KG  |  |  |  |  | KH1300h, 32.1-80.6KG  |  |  |  |  | KH1400h, 35.3-88.4KG  |  |  |  |  | KH1500h, 38.5-96.2KG  |  |  |  |  | KH1600h, 41.7-104.0KG |  |  |  |  |
| P20 XL: 4000×3300                                                         |  | KH1250h, 31.1-77.7KG  |  |  |  |  | KH1350h, 34.3-85.5KG  |  |  |  |  | KH1450h, 37.5-93.3KG  |  |  |  |  | KH1550h, 40.7-101.0KG |  |  |  |  | KH1650h, 43.9-108.8KG |  |  |  |  |
|                                                                           |  | KH1300h, 32.1-80.6KG  |  |  |  |  | KH1400h, 35.3-88.4KG  |  |  |  |  | KH1500h, 38.5-96.2KG  |  |  |  |  | KH1600h, 41.7-104.0KG |  |  |  |  | KH1700h, 44.9-111.6KG |  |  |  |  |
| P20 XL: 4000×3300                                                         |  | KH1350h, 34.3-85.5KG  |  |  |  |  | KH1450h, 37.5-93.3KG  |  |  |  |  | KH1550h, 40.7-101.0KG |  |  |  |  | KH1650h, 43.9-108.8KG |  |  |  |  | KH1750h, 48.1-118.4KG |  |  |  |  |
|                                                                           |  | KH1400h, 35.3-88.4KG  |  |  |  |  | KH1500h, 38.5-96.2KG  |  |  |  |  | KH1600h, 41.7-104.0KG |  |  |  |  | KH1700h, 44.9-111.6KG |  |  |  |  | KH1800h, 51.3-127.8KG |  |  |  |  |
| P20 XL: 4000×3300                                                         |  | KH1450h, 37.5-93.3KG  |  |  |  |  | KH1550h, 40.7-101.0KG |  |  |  |  | KH1650h, 43.9-108.8KG |  |  |  |  | KH1750h, 48.1-118.4KG |  |  |  |  | KH1850h, 54.5-135.6KG |  |  |  |  |
|                                                                           |  | KH1500h, 38.5-96.2KG  |  |  |  |  | KH1600h, 41.7-104.0KG |  |  |  |  | KH1700h, 44.9-111.6KG |  |  |  |  | KH1800h, 51.3-127.8KG |  |  |  |  | KH1900h, 57.7-141.8KG |  |  |  |  |
| P20 XL: 4000×3300                                                         |  | KH1550h, 40.7-101.0KG |  |  |  |  | KH1650h, 43.9-108.8KG |  |  |  |  | KH1750h, 48.1-118.4KG |  |  |  |  | KH1850h, 54.5-135.6KG |  |  |  |  | KH1950h, 60.9-151.0KG |  |  |  |  |
|                                                                           |  | KH1600h, 41.7-104.0KG |  |  |  |  | KH1700h, 44.9-111.6KG |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |                       |  |  |  |  |