

*N 50, BUILT-IN FRIDGE-FREEZER WITH FREEZER
AT BOTTOM, 193.5 X 69.1 CM, SLIDING HINGE
KB7962SE0*



Built-in fridge freezer with flexible storage and XXL space:
flexible storage all over the fridge to daily needs and big boost in
fridge capacity.

- ✓ Extra Space – More capacity for flexible cooling.
- ✓ Fresh Safe 1 $\pm 0^{\circ}\text{C}$; – Ideal storage for fruit and veg, fish
and meat.
- ✓ No Frost – No more defrosting your freezer.
- ✓ LED Light – Pleasant illumination for the entire fridge, with
long-life LEDs.
- ✓ Door Alarm – A handy warning to avoid left-open doors.

Energy Efficiency Class:E
Average annual energy consumption in kilowatt hour per year
(kWh/a): 256 kWh/annum
Sum of volume of frozen compartments: 98 l
Sum of volume of chill compartments: 285 l
Airborne acoustical noise emissions : 34 dB(A) re 1pW
Airborne acoustical noise emission class: B
Built-in / Free-standing: Built-in
Door panel options: Not possible
Height: 1935 mm
Width of the appliance: 691 mm
Depth: 548 mm
Required niche size for installation (HxWxD): 1940 x 710 x 560
mm
Net weight: 67.4 kg
Fuse protection: 10 A
Door hinge: Right reversible
Voltage: 220-240 V
Frequency: 50 Hz
Length electrical supply cord: 230.0 cm
Number of compressors: 1
Number of independent cooling systems: 2
Interior ventilator: No
Reversible Door Hinge: Yes
Number of Adjustable Shelves in fridge compartment: 4
Shelves for Bottles: Yes
Frost free system: Fridge and freezer
Installation typology: Full-integrated



KSZGGM00 Butter box

*N 50, BUILT-IN FRIDGE-FREEZER WITH FREEZER
AT BOTTOM, 193.5 X 69.1 CM, SLIDING HINGE
KB7962SEO*

- noFrost freezer, Built-in fridge/freezer
- Sliding hinge, softClosing door: No

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 383 l
- Annual Energy Consumption: 256 kWh/a
- Noise Level : 34 dB

Functions

- LED with Soft Start
- Built-in fridge/freezer

Design features

- noFrost freezer, never have to defrost ever again
- EU19_Fast freezer facility_D: yes
- Heavy load hinge set
- Home Connect: Remote diagnostics, Remote Monitoring and Control
- Twin LED electronic control panel
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity
- SuperCool function with automatic deactivation
- acoustic for Fridge and Freeze, acoustic alarm, optical and acoustical
- Automatic defrost fridge

Design features

- Net Fridge Volume : 285 l
- 5 safety glass shelves of which 4 are height adjustable
- Door shelves in fridge door: 1 large and 3 small
- Wine rack

Freshness System

- 1 FreshSafe drawer with humidity control retains freshness for longer.

Food freshness system

- Net Freezer Volume : 98 l
- Freezing capacity 24h : 9.5 kg
- Temperature rise time : EU19_Temperature rise time_D: 12 H
- 3 freezer drawers

Dimension and installation

- Dimensions: 193.5 cm H x 69.1 cm W x 54.8 cm D
- Niche Dimensions: 194 cm H x 71 cm W x 56 cm D

Key features - Fridge section

- Right hinged door, reversible
- Height adjustable front feet
- Length of power cord: 230 cm
- Climate Class: SN-ST
- 220 - 240 V

Key features - Freezer section

- 2 x ice cube tray

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.


Design features

Dimension and installation


Additional features

- none

*N 50, BUILT-IN FRIDGE-FREEZER WITH FREEZER
AT BOTTOM, 193.5 X 69.1 CM, SLIDING HINGE
KB7962SE0*




Measurements in mm



C: Front panel overhang

D: Lower edge of front panel

Measurements in mm



Measurements in mm

